




FUTURA

FUTURA Cylinder Head Milling Machine - Chinelatto Variable Speed 200-1100RPM

ENGINE BLOCK AND HEAD MILLING MACHINE

 **MADE IN BRAZIL**



OTHER VIEWS



Standard accessory — Parallel Suports - height 7.87"



Standard accessory — Parallel Suports - height 1.968"



Standard accessory — Milling tool + counter weight

FUTURA cylinder head resurfacers for diesel, gasoline and alcohol engines with variable speeds 200-1100RPM. Capacity 42X14 inches (1070X355MM), max height 18 inches (460MM) for professional shops



FUTURA

FUTURA CYLINDER HEAD MILLING MACHINE - CHINELATTO VARIABLE SPEED 200-1100RPM



Technical Specifications

TECHNICAL FEATURES

Milling capacity - length x width	42" x 14"
Max. Height	18"
Spindle variable speed	200 ~ 1100 rpm
Variable cutting speed	1,18" ~ 27,6" / min.
Power motors	1,875 kw
Electrical tension	220 volts - 60hz.- 2 ph

STANDARD ACCESSORY

- (1) Tool holder Ø 14"
- (1) Milling tool + counter weight
- (1) Protective plastic
- (1) Parallel Suports - height 7.87"
- (1) Parallel Suports - height 1.968"
- Other Accessories

EXTRA ACCESSPRIES

- DI Cradle
- DB-30/45 degrees Cradle for "V" blocks
- Leveling towers
- CBN insert for cast iron
- CBN insert for aluminum
- Hard pre-chamber
- Stone holder Ø 11.417" with 08 pcs
- Stone balancing device with 01 false axis
- Mist cooling by compressed air injection
- Device for/dressing stones
- Technical Specifications Subject to Change

Specifications subject to change without notice. Some capacities listed may require optional accessories. Confirm exact dimensions during quotation.

ACCESSORIES, FIXTURES AND DETAILS

01



Standard accessory — Tool holder Ø 14"

02



Standard accessory — Other Accessories

03



Standard accessory — Protective plastic




FUTURA

FUTURA CYLINDER HEAD MILLING MACHINE - CHINELATTO VARIABLE SPEED 200-1100RPM



Accessories, fixtures and details (continued)

04



Optional accessory — DI Cradle - image 01

05




Optional accessory — DB-30/45 degrees Cradle for "V" blocks - image 01

06




Optional accessory — DI Cradle - image 02

07




Optional accessory — Leveling towers

08



Optional accessory — DB-30/45 degrees Cradle for "V" blocks - image 01

09



Optional accessory — CBN insert for aluminum



+55 (19) 99295-3073



+55 (19) 3446-4545



chinelatto@chinelatto.com.br



chinelatto.com.br






FUTURA

FUTURA CYLINDER HEAD MILLING MACHINE - CHINELATTO VARIABLE SPEED 200-1100RPM



Accessories, fixtures and details (continued)

10



Optional accessory — CBN insert for cast iron

11



Optional accessory — Stone balancing device with 01 false axis

12



Optional accessory — Hard pre-chamber

13



Optional accessory — Mist cooling by compressed air injection

14



Optional accessory — Stone holder Ø 11.417" with 08 pcs

15



Optional accessory — Device for/dressing stones